NEW HOMONYM, SYNONYM, AND COMBINATIONS IN THE CHINESE CICADELLIDAE (HOMOPTERA: AUCHENORRHYNCHA)¹

Ai-Ping Liang²

ABSTRACT: One species of Evacanthinae, Evacanthus uncinatus Kuoh, a preoccupied name, is renamed Evacanthus kuohi, new name. The hylicine Wania membracioidea Liu is synonymized with Balala fulviventris (Walker). In Nirvaninae, two new combinations, Sophonia alba (Kuoh), (Pseudonirvana) and Sophonia nigrifrons (Kuoh), (Pseudonirvana) are reported.

During the preparation of a checklist of Cicadellidae found in China, it became evident that several nomenclatorial changes in the subfamilies Evacanthinae, Hylicinae, and Nirvaninae are necessary. In this paper, I offer replacement name for one homonym, propose one new synonym, and transfer two species to the correct genus.

EVACANTHINAE

Evacanthus kuohi Liang, NEW NAME

Evacanthus uncinatus Kuoh, 1992: 259, 308, fig. 18 (preoccupied by Evacanthus uncinatus Li, 1989: 337, 339, figs. 1-5).

Kuoh (1992) described *Evacanthus uncinatus* from a male and a female collected in Yunnan Province of southwestern China. Because the name *E. uncinatus* is preoccupied, I am here proposing the replacement name *kuohi*, in honor of the Prof. C.L. Kuoh for his extensive work on the Chinese Cicadellidae.

Received January 25, 1995. Accepted February 29, 1995

² Roosevelt Research Fellow, Department of Entomology, American Museum of Natural History, Central Park West at 79th Street, New York, New York 10024, USA, and Institute of Zoology, Academia Sinica, 19 Zhongguancun Lu, Beijing 100080, PR China.

HYLICINAE

Balala fulviventris (Walker)

Penthimia fulviventris Walker, 1851: 841.

Balala fulviventris (Walker); Distant, 1908: 251, fig. 159; Evans, 1946a: 59, fig. 23; Metcalf, 1962: 14.

Wania membracioidea Liu, 1939: 297, 3 figs. New synonymy.

Balala membracioidea (Liu); China, 1941: 255; Evans, 1946b: 46; Metcalf, 1962: 14.

Liu (1939) described Wania membracioidea as a new genus and species from Anhui Province of eastern China from a single female in the Héude Museum, Shanghai, China which is now held in the Insect Collection of the Institute of Zoology, Academia Sinica, Beijing, China. China (1941) synonymized Wania Liu with Balala Distant and established the new combination Balala membracioidea (Liu). Balala fulviventris (Walker) is a widespread species ranging from India, east to Burma, Tonkin, Indo-China, southern and central China, Taiwan, Sumatra, Borneo. I have compared the female holotype of membracioidea to material of fulviventris from the southern and eastern China and find them indistinguishable.

NIRVANINAE

Sophonia alba (Kuoh), NEW COMBINATION

Pseudonirvana alba Kuoh, 1992: 293, 314, fig. 52.

Kuoh (1992) described *alba* in the genus *Pseudonirvana* from a single male taken at Dali, Yunnan of southwestern China. *Pseudonirvana* Baker was suppressed as a junior synonym of *Sophonia* Walker by Evans (1947) and has been accepted by most authors (Viraktamath & Wesley, 1988). I have studied the holotype of *alba* which is held in the Insect Collection of the Institute of Zoology, Academia Sinica, Beijing and find that this leafhopper belongs in the genus *Sophonia*.

Sophonia nigrifrons (Kuoh), NEW COMBINATION

Pseudonirvana nigrifrons Kuoh, 1992-292: 314, fig. 51.

Pseudonirvana nigrifrons was described from a single male taken at Markam of Xizang [Tibet] (Kuoh, 1992). I have examined the holotype of this species which is held in the Insect Collection of the Institute of Zoology, Academia Sinica, Beijing and am here also transferring it to the genus Sophonia.

ACKNOWLEDGMENTS

I am deeply grateful to Robert L. Blinn and Lewis L. Deitz of the Department of Entomology, North Carolina State University, Raleigh, North Carolina, for all their help and generosity. I wish also to thank M.W. Nielson, Monte L. Bean Life Science Museum, Brigham Young University, Provo, Utah, for his valuable comments in improving the contents of the paper, and Randall T. Schuh, Department of Entomology, American Museum of Natural History, New York, for several discussions during the preparation of the paper.

LITERATURE CITED

- China, W.E. 1941. A synonymic note on Wania membracioidea. Liu (Homoptera, Jassoidea). Ann. Mag. Nat. Hist. 7 (11): 255.
- Distant, W.L. 1908. Rhynchota, vol. IV. Homoptera and Appendix (Pt.). *In:* Bingham, C.T. (Ed.), The Fauna of British India, including Ceylon and Burma. Taylor and Francis, London, xv+501 pp.
- Evans, J.W. 1946a. A natural classification of leaf-hoppers (Homoptera, Jassoidea). Part I. External morphology and systematic position. Trans. R. Entomol. Soc. London 96: 47-60.
- Evans, J.W. 1946b. A natural classification of leaf-hoppers (Homoptera, Jassoidea). Part 2. Aetalionidae, Hylicidae, Eurymelidae. Ibid. 97: 39-54.
- Evans, J.W. 1947. A natural classification of leaf-hoppers (Homoptera, Jassoidea). Ibid. 98: 105-271.
- Ge, Z.L. (Kuoh, C.L.) 1992. Homoptera: Cicadelloidea. *In:* Chen, S.X. (Ed.), Insects of the Hengduan Mountains Region, pp. 243-316. Science Press, Beijing. [In Chinese, English abstract p. 305.]
- Li, Z.Z. 1989. A new species of *Evacanthus* from Guizhou Province (Homoptera: Evacanthidae). Acta Zootax. Sin. 14: 337-339. [In Chinese, English abstract p. 339.]
- Liu, G.K.-C. 1939. On a new genus of Homoptera from Anhwei. China Jour. 31: 295-297.
- Metcalf, Z.P. 1962. General Catalogue of the Homoptera. Fascicle V1, Cicadelloidea, Part 2 Hylicidae. Agric. Res. Serv., U.S. Dept. Agric., Washington, D.C., 18 pp.
- Metcalf, Z.P. 1963. General Catalogue of the Homoptera. Fascicle VI, Cicadelloidea, Part 6 Evacanthidae. Agric. Res. Serv., U.S. Dept. Agric., Washington, D.C., 63 pp.
- Metcalf, Z.P. 1963. General Catalogue of the Homoptera. Fascicle VI, Cicadelloidea, Part 7 Nirvanidae. Agric. Res. Serv., U.S. Dept. Agric., Washington, D.C., 35 pp.
- Viraktamath, C.A. & Wesley, C.S. 1988. Revision of the Nirvaninae (Homoptera: Cicadellidae) of the Indian subcontinent. Great Basin Nat. Mem. 12: 182-223.
- Walker, F. 1851. List of the specimens of Homopterous insects in the collection of the British Museum 3: 637-907.